








hansgrohe

Product Catalogue 2024

Union Hardware



Union Hardware

Product Picture	Model Name	Finish	Article Number
	iBox universal 2 Basic set		01500180
	Angle valve E outlet G 3/8	Chrome	13902000
	Cento Single lever kitchen mixer XXL, Semi-Pro, 2jet	Chrome	14806000
	Pulsify Wall connector for overhead shower 105	Matt Black	24139670
	Pulsify S Overhead shower 260 2jet with wall connector	Matt Black	24150670
	Pulsify Select S Shower set 105 3jet Relaxation with shower bar 65 cm	Chrome	24160000



Rainfinity Overhead shower 360 1jet with wall connector

Chrome

26230000



Rainfinity Overhead shower 360 1jet with wall connector

Matt Black

26230670



Rainfinity Overhead shower 360 1jet with wall connector

Matt White

26230700



Raindance E Overhead shower 300 1jet with shower arm

Chrome

26238000



Vernis Blend Overhead shower 200 1jet

Chrome

26271000



Vernis Shape Overhead shower 230 1jet


Matt Black

26281670

Vernis Shape Shower arm 24 cm

Matt Black

26405670



Croma Select E Overhead shower 180 2jet

Chrome

26524000



Clubmaster Overhead shower 85 3jet EcoSmart with shower arm

Chrome

26606000



Rainfinity Shower holder set 130 3jet with shower hose 125 cm

Chrome

26852000



Rainfinity Shower holder set 130 3jet with shower hose 125 cm

Matt White

26852700



Rainfinity Hand shower 130 3jet

Matt Black

26864670



Shower arm 12.8 cm

Chrome

27411000



FixFit Wall outlet E without non-return valve

Chrome

27454000



FixFit Wall outlet E without non-return valve

Matt Black

27454670



FixFit Wall outlet E without non-return valve

Matt White

27454700



Croma 100 Shower holder set Mono with shower hose 125 cm

Chrome

27574000



Vernis Blend Shower arm 24 cm

Chrome

27809000





Isiflex Shower hose 125 cm

Matt Black

28272670



Shower holder Porter E

Chrome

28387000



Shower holder Porter E

Matt Black

28387670



Focus Single lever basin mixer 70 without waste set

Chrome

31733000



Focus M41 Single lever kitchen mixer 240, pull-out spray, 2jet

Chrome

31815000



Focus M41 Single lever kitchen mixer 260, 1jet

Chrome

31820000



Focus Single lever bath mixer for exposed installation

Chrome

31940000



Focus Single lever shower mixer for concealed installation

Chrome

31967000



Metropol Single lever basin mixer 110 with lever handle and push-open waste set

Chrome

32507000



Metropol Single lever basin mixer 110 with lever handle and push-open waste set

Brushed Black
Chrome

32507340



Metropol Single lever basin mixer 260 with lever handle for wash bowls with push-open waste set

Chrome

32512000



Metropol Single lever basin mixer for concealed installation wall-mounted with lever handle and spout 22,5 cm

Chrome

32526000



Metropol Single lever bath mixer for concealed installation with lever handle for iBox universal

Chrome

32545000



Metropol Single lever shower mixer for concealed installation with lever handle for iBox universal

Chrome

32565000

AddStoris Corner basket

Chrome

41741000



AddStoris Towel hook

Chrome

41742000



AddStoris Towel hook

Brushed Bronze

41742140



AddStoris Towel hook

Brushed Black
Chrome

41742340





AddStoris Towel hook

Matt White

41742700



AddStoris Towel hook

Polished Gold
Optic

41742990



AddStoris Double bath towel rail

Chrome

41743000



AddStoris Double bath towel rail

Matt Black

41743670



AddStoris Liquid soap dispenser

Chrome

41745000



AddStoris Liquid soap dispenser

Matt Black

41745670

AddStoris Soap dish

Chrome

41746000



AddStoris Bath towel rail

Chrome

41747000



AddStoris Bath towel rail

Matt Black

41747670



AddStoris Toilet paper holder double

Chrome

41748000



AddStoris Toilet paper holder double

Matt Black

41748670



AddStoris Toothbrush tumbler

Chrome

41749000





AddStoris Toothbrush tumbler

Matt Black

41749670



AddStoris Towel rack with towel rail

Chrome

41751000



AddStoris Toilet brush holder wall-mounted

Chrome

41752000



AddStoris Toilet brush holder wall-mounted

Matt Black

41752670



AddStoris Toilet paper holder with cover

Chrome

41753000



AddStoris Towel ring

Chrome

41754000



AddStoris Spare roll holder

Chrome

41756000



AddStoris Toilet paper holder

Chrome

41771000



AddStoris Toilet paper holder with shelf

Chrome

41772000



AddStoris Pedal Bin

Chrome

41775000



Logis Single lever basin mixer 70 with pop-up waste set

Chrome

71070000



Logis Single lever basin mixer 100 without waste set

Chrome

71101000



Logis Single lever basin mixer 240 Fine for wash bowls with pop-up waste set

Chrome

71257000



Logis Single lever basin mixer 240 Fine without waste set

Chrome

71258000



Logis Single lever bath mixer for exposed installation

Chrome

71400000



Logis Single lever bath mixer for concealed installation for iBox universal

Chrome

71405000



Vernis Blend Single lever bath mixer for exposed installation

Chrome

71440000



Vernis Blend Single lever bath mixer for concealed installation

Chrome

71449000



Vernis Blend Single lever basin mixer 100 with isolated water conduction and pop-up waste set

Chrome

71571000



Logis Single lever shower mixer for concealed installation for iBox universal

Chrome

71605000



Vernis Blend Single lever shower mixer for concealed installation

Chrome

71649000



Rebris S Bath spout

Chrome

72430000



Rebris S Single lever bath mixer for concealed installation

Chrome

72449000



Rebris S Single lever bath mixer for concealed installation for iBox universal

Chrome

72466000



Rebris S Single lever basin mixer 80 CoolStart with pop-up waste set

Chrome

72513000



Rebris S Single lever basin mixer 110 CoolStart with pop-up waste set

Chrome

72519000



Rebris S Single lever shower mixer for concealed installation

Chrome

72649000



Talis M54 Single lever kitchen mixer U 220, 1jet

Chrome

72806000



Talis M54 Single lever kitchen mixer 270, pull-out spout, 1jet

Chrome

72808000



Tecturis E Single lever basin mixer 110 EcoSmart+ with pop-up waste set

Chrome

73010000



Tecturis E Single lever basin mixer 110 EcoSmart+ with pop-up waste set

Brushed Bronze 73010140



Tecturis E Single lever basin mixer 240 Fine CoolStart EcoSmart+ for wash bowls with push-open waste set

Chrome 73070000



Vivenis Single lever basin mixer 80 with pop-up waste set

Chrome 75010000



Vivenis Single lever basin mixer 110 with pop-up waste set

Chrome 75020000



Vivenis Single lever basin mixer 110 with pop-up waste set

Matt White 75020700



Vivenis Single lever basin mixer 250 for wash bowls with pop-up waste set

Chrome 75040000



Vivenis Single lever basin mixer for concealed installation wall-mounted Chrome with spout 19,2 cm

75050000



Vivenis Single lever bath mixer for concealed installation for iBox universal

Chrome

75415000



DuoTurn E Mixer for concealed installation for 2 functions

Chrome

75417000



Vivenis Single lever bath mixer for exposed installation

Chrome

75420000



Vivenis Single lever shower mixer for concealed installation for iBox universal

Chrome

75615000



DuoTurn E Mixer for concealed installation for 1 function

Chrome

75617000



DuoTurn S Mixer for concealed installation for 1 function

Chrome

75618000



Finoris Single lever basin mixer 110 with pop-up waste set

Matt Black

76020670



Finoris Single lever basin mixer 110 with push-open waste set

Chrome

76023000



Finoris Single lever basin mixer 230 with pull-out spray, 2jet and push-open waste set

Matt Black

76063670



Finoris Single lever bath mixer for concealed installation for iBox universal

Chrome

76415000



Finoris Single lever bath mixer for exposed installation

Matt Black

76420670



Finoris Single lever shower mixer for concealed installation for iBox uni-
versal Chrome

76615000


Brand hansgrohe
 Art. Name **iBox universal 2** Basic set
 Art. Nr. 01500180
 Pos. 0



Product picture



Drawing



Codes / Standards

- PA-IX 9712/II
- PA-IX 29612/IB
- PA-IX 9711/ID
- PA-IX 9062/IAA
- PA-IX 28384/IB

Features

- suitable for all new shower, bath tub and thermostat finish sets for concealed installation (ShowerSelect Comfort, DuoTurn)
- in conjunction with adapter plate (# 13588000) compatible with other concealed shower, bath tub and thermostat finish sets
- material: dezincification brass, EPP foam, heat and sound insulating
- connection thread Rp 1/2
- connection dimension: DN15
- rotationally-symmetric installation
- sound-decoupled installation
- flexible mounting ring for different mounting situations
- mounting ring adjustable in 5 mm steps
- mounting ring suitable for front and rear installation
- no shortening necessary thanks to sliding sleeve
- support aid for the spirit level
- integrated spirit level for correct horizontal and vertical alignment
- sealing foil permanently fixed
- power supply: M 16 flexible conduit
- minimum mounting depth: 80 mm
- maximum mounting depth: 108 mm

Technology



Brand hansgrohe
 Art. Name Angle valve E outlet G 3/8
 Art. Nr. 13902000
 Surface Chrome
 Pos. 1


Product picture



Features

- connection dimension entry: G 1/2
- connection dimension outlet: G 3/8
- packaging unit: 1 piece
- noise class: I
- flow rate class: A

Drawing



Codes / Standards


- LGA_EN3822_PA-IX 797/IA

Brand hansgrohe
 Art. Name **Cento** Single lever kitchen mixer XXL, Semi-Pro, 2jet
 Art. Nr. 14806000
 Surface Chrome
 Pos. 2

Product picture




Drawing



Features

- ComfortZone 190
- swivel range 360°
- normal spray, shower spray
- lockable shower spray, spray returns through pressing spray diverter
- connection dimension: DN15
- maximum flow rate at 3 bar: 10 l/min
- ceramic cartridge with Eco handle position for a reduced flowrate by up to 50%
- connection type: G 3/8 connections
- temperature limitation adjustable
- integrated non-return valve
- suitable for continuous flow water heaters

Technology



Spray Types



Brand hansgrohe
 Art. Name **Pulsify** Wall connector for overhead shower 105
 Art. Nr. 24139670
 Surface Matt Black
 Pos. 3




Product picture



Features

- installation type: exposed installation
- material: plastic
- connection type: G 1/2

Drawing



Brand hansgrohe
 Art. Name **Pulsify S** Overhead shower 260 2jet with wall connector
 Art. Nr. 24150670
 Surface Matt Black
 Pos. 4




Product picture



Features

- consists of: overhead shower, wall connector
- shower head size: 260 mm
- spray type: PowderRain, Intense PowderRain
- Fast Drain empties the overhead shower from an angle of 10°
- ball-joint: ball-joint for easy angle adjustment, variable from 15 - 36°
- material spray disc: plastic
- spray disc surface: graphite
- maximum flow rate at 3 bar: 11,3 l/min
- flow rate PowderRain spray (at 3 bar): 11,3 l/min
- flow rate Intense PowderRain (at 3 bar): 7,2 l/min
- function from: 6,3 l/min
- minimum flow pressure: 1,4 bar
- overhead shower removable for cleaning
- installation: wall-mounted - based on iBox
- connection type: basic set
- suitable for continuous flow water heaters

Drawing



Technology



Spray Types




Codes / Standards

- PIX 17580/IIA

Brand hansgrohe
 Art. Name **Pulsify Select S** Shower set 105 3jet Relaxation with shower bar 65 cm
 Art. Nr. 24160000
 Surface Chrome
 Pos. 5




Product picture



Features

- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient spray selection via Select button
- maximum flow rate at 3 bar: 11,4 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 6 bar
- height-adjustable slider with locking push-button slider
- hand shower holder made of plastic/metal
- slider rotatable on the pipe for left or right operation
- wall mounting: screw fastening
- wall supports made of plastic
- profile pipe: round
- pipe length: 669 mm
- shower bar diameter: 22 mm
- drilling distance 625 mm
- shower hose with conical nut on both ends
- pivot connector prevents hose from tangling

Drawing



Technology



Spray Types



Brand hansgrohe
 Art. Name **Rainfinity** Overhead shower 360 1jet with wall connector
 Art. Nr. 26230000
 Surface Chrome
 Pos. 6




Product picture



Features

- consists of: overhead shower, wall connector
- shower head size: 360 mm
- spray type: PowderRain
- projection 381 mm
- middle spray disc: 205 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 21 l/min
- flow rate PowderRain spray (at 3 bar): 21 l/min
- function from: 16,5 l/min
- minimum flow pressure: 2 bar
- overhead shower removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15
- not suitable for continuous flow water heaters

Drawing



Technology




Spray Types



Brand hansgrohe
 Art. Name **Rainfinity** Overhead shower 360 1jet with wall connector
 Art. Nr. 26230670
 Surface Matt Black
 Pos. 7




Product picture



Features

- consists of: overhead shower, wall connector
- shower head size: 360 mm
- spray type: PowderRain
- projection 381 mm
- middle spray disc: 205 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 21 l/min
- flow rate PowderRain spray (at 3 bar): 21 l/min
- function from: 16,5 l/min
- minimum flow pressure: 2 bar
- overhead shower removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15
- not suitable for continuous flow water heaters

Drawing



Technology




Spray Types



Brand hansgrohe
 Art. Name **Rainfinity** Overhead shower 360 1jet with wall connector
 Art. Nr. 26230700
 Surface Matt White
 Pos. 8




Product picture



Features

- consists of: overhead shower, wall connector
- shower head size: 360 mm
- spray type: PowderRain
- projection 381 mm
- middle spray disc: 205 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 21 l/min
- flow rate PowderRain spray (at 3 bar): 21 l/min
- function from: 16,5 l/min
- minimum flow pressure: 2 bar
- overhead shower removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15
- not suitable for continuous flow water heaters

Drawing



Technology



Spray Types



Brand hansgrohe
 Art. Name **Raindance E** Overhead shower 300 1jet with shower arm
 Art. Nr. 26238000
 Surface Chrome
 Pos. 9


Product picture



Features

- consists of: overhead shower, shower arm
- shower head size: 300 x 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate RainAir spray (at 3 bar): 17 l/min
- minimum flow pressure: 1,6 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters
- pressure: low

Drawing



Technology



Spray Types




Codes / Standards

- P-IX 29790/IIB

Brand hansgrohe
 Art. Name **Vernis Blend** Overhead shower 200 1jet
 Art. Nr. 26271000
 Surface Chrome
 Pos. 10


Product picture



Features

- shower head size: 205 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 12,4 l/min
- function from: 5,2 l/min
- minimum flow pressure: 0,6 bar
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters


Drawing



Technology



Spray Types




Codes / Standards

- PIX 29868/IIA

Brand hansgrohe
 Art. Name **Vernis Shape** Overhead shower 230 1jet
 Art. Nr. 26281670
 Surface Matt Black
 Pos. 11


Product picture



Features

- shower head size: 230 x 170 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 12,4 l/min
- function from: 5,2 l/min
- minimum flow pressure: 0,6 bar
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters
- pressure: low


Drawing



Technology



Spray Types



Codes / Standards

- PIX 29865/IIA

Brand hansgrohe
 Art. Name **Vernis Shape** Shower arm 24 cm
 Art. Nr. 26405670
 Surface Matt Black
 Pos. 12


Product picture



Features

- length: 240 mm
- shaft Ø: 26 mm
- installation type: exposed installation
- material: brass
- version: 90° angle
- connection type: G 1/2

Drawing



Brand hansgrohe
 Art. Name **Croma Select E** Overhead shower 180 2jet
 Art. Nr. 26524000
 Surface Chrome
 Pos. 13


Product picture



Features

- shower head size: 187 x 187 mm
- spray type: Rain, IntenseRain
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 17 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate IntenseRain spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters
- pressure: low

Drawing



Technology



Spray Types



Brand hansgrohe
 Art. Name **Clubmaster** Overhead shower 85 3jet EcoSmart with shower arm
 Art. Nr. 26606000
 Surface Chrome
 Pos. 14


Product picture



Features

- consists of: overhead shower, shower arm
- shower head size: 85 mm
- spray type: normal spray, Soft spray, Massage spray
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- spray disc surface: grey
- shower arm length 165 mm
- maximum flow rate at 3 bar: 9 l/min
- flow rate soft spray (at 3 bar): 9 l/min
- flow rate normal spray (at 3 bar): 9 l/min
- flow rate massage spray (at 3 bar): 9 l/min
- minimum flow pressure: 2 bar
- installation: wall
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters


Drawing



Technology




Spray Types



Brand hansgrohe
 Art. Name **Rainfinity** Shower holder set 130 3jet with shower hose 125 cm
 Art. Nr. 26852000
 Surface Chrome
 Pos. 15




Product picture




Features

- consists of: hand shower, shower holder, shower hose
- shower head size: 130 mm
- integrated support function
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient spray selection via Select button
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 6 bar
- pivot connector prevents hose from tangling
- shower hose with conical nut on both ends
- wall supports of metal
- wall mounting: screw fastening
- rinseable screen seal

Drawing



Technology




Spray Types



Brand hansgrohe
 Art. Name **Rainfinity** Shower holder set 130 3jet with shower hose 125 cm
 Art. Nr. 26852700
 Surface Matt White
 Pos. 16




Product picture



Features

- consists of: hand shower, shower holder, shower hose
- shower head size: 130 mm
- integrated support function
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient spray selection via Select button
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 6 bar
- pivot connector prevents hose from tangling
- shower hose with conical nut on both ends
- wall supports of metal
- wall mounting: screw fastening
- rinseable screen seal

Drawing



Technology



Spray Types



Brand hansgrohe
 Art. Name **Rainfinity** Hand shower 130 3jet
 Art. Nr. 26864670
 Surface Matt Black
 Pos. 17




Product picture




Features

- shower head size: 132 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient spray selection via Select button
- spray disc surface: easy cleanable aluminium spray disc, graphite
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1,1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- suitable for continuous flow water heaters

Drawing



Technology



Spray Types



Codes / Standards

- P-IX 29719/IB

Brand	hansgrohe
Art. Name	Shower arm 12.8 cm
Art. Nr.	27411000
Surface	Chrome
Pos.	18


Product picture



Features


- length: 128 mm
- installation type: exposed installation
- material: brass
- connection type: G 1/2

Drawing



Brand hansgrohe
 Art. Name **FixFit** Wall outlet E without non-return valve
 Art. Nr. 27454000
 Surface Chrome
 Pos. 19


Product picture



Features

- plastic connection angle
- connection type: G 1/2
- for shower hoses with conical or cylindrical nut on both sides
- material cover: plastic

Drawing



Brand hansgrohe
 Art. Name **FixFit** Wall outlet E without non-return valve
 Art. Nr. 27454670
 Surface Matt Black
 Pos. 20




Product picture



Features

- plastic connection angle
- connection type: G 1/2
- for shower hoses with conical or cylindrical nut on both sides
- material cover: plastic

Drawing



Brand hansgrohe
 Art. Name **FixFit** Wall outlet E without non-return valve
 Art. Nr. 27454700
 Surface Matt White
 Pos. 21




Product picture



Features


- plastic connection angle
- connection type: G 1/2
- for shower hoses with conical or cylindrical nut on both sides
- material cover: plastic

Drawing



Brand hansgrohe
 Art. Name **Croma 100** Shower holder set Mono with shower hose 125 cm
 Art. Nr. 27574000
 Surface Chrome
 Pos. 22


Product picture



Features

- consists of: hand shower, shower holder, shower hose
- shower head size: 100 mm
- integrated support function
- spray type: Rain
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 6 bar
- pivot connector prevents hose from tangling
- shower hose with conical nut on both ends
- shower holder made of plastic
- wall mounting: screw fastening
- rinseable screen seal


Drawing



Technology



Spray Types



Brand hansgrohe
 Art. Name **Vernis Blend** Shower arm 24 cm
 Art. Nr. 27809000
 Surface Chrome
 Pos. 23


Product picture



Features

- length: 240 mm
- shaft Ø: 26 mm
- installation type: exposed installation
- material: brass
- version: 90° angle
- connection type: G 1/2

Drawing



Brand hansgrohe
 Art. Name **Isiflex** Shower hose 125 cm
 Art. Nr. 28272670
 Surface Matt Black
 Pos. 24




Product picture



Features

- high-quality shower hose
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- pivot connector prevents hose from tangling
- kink-protected
- nuts shower hose: conical nut on both ends
- connection thread: G 1/2

Drawing



Brand hansgrohe
Art. Name Shower holder Porter E
Art. Nr. 28387000
Surface Chrome
Pos. 25


Product picture



Features

- fixed holding position
- material: metal


Drawing



Brand hansgrohe
Art. Name Shower holder Porter E
Art. Nr. 28387670
Surface Matt Black
Pos. 26




Product picture



Features

- fixed holding position
- material: metal

Drawing



Brand hansgrohe
 Art. Name **Focus** Single lever basin mixer 70 without waste set
 Art. Nr. 31733000
 Surface Chrome
 Pos. 27


Product picture



Features

- ComfortZone: 70
- projection: 101 mm
- spout height: 53 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Brand hansgrohe
 Art. Name **Focus M41** Single lever kitchen mixer 240, pull-out spray, 2jet
 Art. Nr. 31815000
 Surface Chrome
 Pos. 28


Product picture




Features

- ComfortZone 240
- swivel range adjustable in 2 steps to 110° or 150°
- laminar spray, shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 10 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- temperature limitation adjustable
- integrated non-return valve
- suitable for continuous flow water heaters
- extension length up to 50 cm

Drawing



Technology



Spray Types



Brand hansgrohe
 Art. Name **Focus M41** Single lever kitchen mixer 260, 1 jet
 Art. Nr. 31820000
 Surface Chrome
 Pos. 29


Product picture




Features

- ComfortZone 260
- swivel range adjustable in 3 steps 110°, 150° or 360°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- temperature limitation adjustable
- suitable for continuous flow water heaters

Drawing



Technology



Spray Types




Codes / Standards

- PIX 6993/IA

Brand hansgrohe
 Art. Name **Focus** Single lever bath mixer for exposed installation
 Art. Nr. 31940000
 Surface Chrome
 Pos. 30


Product picture



Features

- 2 functions
- projection: 180 mm
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- maximum flow rate at 3 bar: 19,8 l/min
- flow rate for bath spout at 3 bar: 19,8 l/min
- flow rate of hand shower at 3 bar: 15,4 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- protected against backflow, according to DIN EN 1717
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15
- connection type: s-shaped connections
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Technology



Codes / Standards

- PA-IX 18906/IICB

Brand hansgrohe
 Art. Name **Focus** Single lever shower mixer for concealed installation
 Art. Nr. 31967000
 Surface Chrome
 Pos. 31


Product picture



Features

- 1 function
- maximum flow rate at 3 bar: 29 l/min
- number of handles: single lever
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set

Drawing



Brand hansgrohe
 Art. Name **Metropol** Single lever basin mixer 110 with lever handle and push-open waste set
 Art. Nr. 32507000
 Surface Chrome
 Pos. 32


Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 110
- projection: 135 mm
- spout height: 117 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing




Technology



Codes / Standards

- PA-IX 7295/IO

Brand hansgrohe
 Art. Name **Metropol** Single lever basin mixer 110 with lever handle and push-open waste set
 Art. Nr. 32507340
 Surface Brushed Black Chrome
 Pos. 33




Product picture




Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 110
- projection: 135 mm
- spout height: 117 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 7295/IO

Brand	hansgrohe
Art. Name	Metropol Single lever basin mixer 260 with lever handle for wash bowls with push-open waste set
Art. Nr.	32512000
Surface	Chrome
Pos.	34


Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 260
- projection: 204 mm
- spout height: 259 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 7295/IO

Brand	hansgrohe
Art. Name	Metropol Single lever basin mixer for concealed installation wall-mounted with lever handle and spout 22,5 cm
Art. Nr.	32526000
Surface	Chrome
Pos.	35


Product picture



Features

- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- projection: 225 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depending on the basic set installation
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Codes / Standards

- PA-IX 7302/IO

Technology



Brand	hansgrohe
Art. Name	Metropol Single lever bath mixer for concealed installation with lever handle for iBox universal
Art. Nr.	32545000
Surface	Chrome
Pos.	36


Product picture



Features

- 2 functions
- flow rate upper outlet: 21 l/min
- flow rate lower outlet: 29 l/min
- maximum flow rate at 3 bar: 29 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- with silencer
- connection type: basic set
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Codes / Standards

- PA-IX 9709/ICC

Brand	hansgrohe
Art. Name	Metropol Single lever shower mixer for concealed installation with lever handle for iBox universal
Art. Nr.	32565000
Surface	Chrome
Pos.	37


Product picture



Features

- 1 function
- maximum flow rate at 3 bar: 29,3 l/min
- number of handles: single lever
- ceramic cartridge
- temperature limitation adjustable
- with silencer
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set

Drawing



Codes / Standards

- PA-IX 9710/IB

Brand hansgrohe
 Art. Name **AddStoris** Corner basket
 Art. Nr. 41741000
 Surface Chrome
 Pos. 38




Product picture



Features

- wall-mounted
- holder material: metal
- with mounting material
- concealed fastening
- drilling distance: 40 mm
- diameter drill hole: 6 mm
- can be used additional as a shelf

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Towel hook
 Art. Nr. 41742000
 Surface Chrome
 Pos. 39




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- diameter drill hole: 6 mm


Drawing



Brand hansgrohe
 Art. Name **AddStoris** Towel hook
 Art. Nr. 41742140
 Surface Brushed Bronze
 Pos. 40




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Towel hook
 Art. Nr. 41742340
 Surface Brushed Black Chrome
 Pos. 41




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Towel hook
 Art. Nr. 41742700
 Surface Matt White
 Pos. 42




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Towel hook
 Art. Nr. 41742990
 Surface Polished Gold Optic
 Pos. 43




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Double bath towel rail
 Art. Nr. 41743000
 Surface Chrome
 Pos. 44




Product picture



Features

- wall-mounted
- material: metal
- holder material: metal
- length: 648 mm
- with mounting material
- drilling distance: 626 mm
- diameter drill hole: 6 mm
- concealed fastening

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Double bath towel rail
 Art. Nr. 41743670
 Surface Matt Black
 Pos. 45




Product picture



Features

- wall-mounted
- material: metal
- holder material: metal
- length: 648 mm
- with mounting material
- drilling distance: 626 mm
- diameter drill hole: 6 mm
- concealed fastening

Drawing



Brand hansgrohe
 Art. Name **AddStoris** liquid soap dispenser
 Art. Nr. 41745000
 Surface Chrome
 Pos. 46




Product picture



Features

- wall-mounted
- holder material: metal
- material container: matt glass
- type of soap: liquid soap
- filling capacity 200 ml
- dosage 2 ml
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** liquid soap dispenser
 Art. Nr. 41745670
 Surface Matt Black
 Pos. 47




Product picture



Features

- wall-mounted
- holder material: metal
- material container: matt glass
- type of soap: liquid soap
- filling capacity 200 ml
- dosage 2 ml
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Soap dish
 Art. Nr. 41746000
 Surface Chrome
 Pos. 48




Product picture



Features

- wall-mounted
- material recess: matt glass
- holder material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Bath towel rail
 Art. Nr. 41747000
 Surface Chrome
 Pos. 49




Product picture



Features

- wall-mounted
- material: metal
- holder material: metal
- length: 648 mm
- with mounting material
- drilling distance: 626 mm
- diameter drill hole: 6 mm
- concealed fastening

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Bath towel rail
 Art. Nr. 41747670
 Surface Matt Black
 Pos. 50




Product picture



Features

- wall-mounted
- material: metal
- holder material: metal
- length: 648 mm
- with mounting material
- drilling distance: 626 mm
- diameter drill hole: 6 mm
- concealed fastening

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Toilet paper holder double
 Art. Nr. 41748000
 Surface Chrome
 Pos. 51




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm
- for 2 paper rolls

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Toilet paper holder double
 Art. Nr. 41748670
 Surface Matt Black
 Pos. 52




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm
- for 2 paper rolls

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Toothbrush tumbler
 Art. Nr. 41749000
 Surface Chrome
 Pos. 53




Product picture



Features

- wall-mounted
- material: metal, matt glass
- holder material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Toothbrush tumbler
 Art. Nr. 41749670
 Surface Matt Black
 Pos. 54




Product picture



Features

- wall-mounted
- material: metal, matt glass
- holder material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm


Drawing



Brand hansgrohe
 Art. Name **AddStoris** Towel rack with towel rail
 Art. Nr. 41751000
 Surface Chrome
 Pos. 55




Product picture



Features

- wall-mounted
- material: metal
- holder material: plastic
- length: 648 mm
- with mounting material
- concealed fastening
- drilling distance: 626 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Toilet brush holder wall-mounted
 Art. Nr. 41752000
 Surface Chrome
 Pos. 56




Product picture



Features

- wall-mounted
- material: metal, glass
- material recess: matt glass
- with removable insert
- with mounting material
- concealed fastening
- drilling distance 26 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Toilet brush holder wall-mounted
 Art. Nr. 41752670
 Surface Matt Black
 Pos. 57




Product picture



Features

- wall-mounted
- material: metal, glass
- material recess: matt glass
- with removable insert
- with mounting material
- concealed fastening
- drilling distance 26 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Toilet paper holder with cover
 Art. Nr. 41753000
 Surface Chrome
 Pos. 58




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Towel ring
 Art. Nr. 41754000
 Surface Chrome
 Pos. 59




Product picture



Features

- wall-mounted
- material: metal
- swivelling
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Spare roll holder
 Art. Nr. 41756000
 Surface Chrome
 Pos. 60




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm


Drawing



Brand hansgrohe
 Art. Name **AddStoris** Toilet paper holder
 Art. Nr. 41771000
 Surface Chrome
 Pos. 61




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Toilet paper holder with shelf
 Art. Nr. 41772000
 Surface Chrome
 Pos. 62




Product picture



Features

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm
- Size of shelf: 150 x 80 mm

Drawing



Brand hansgrohe
 Art. Name **AddStoris** Pedal Bin
 Art. Nr. 41775000
 Surface Chrome
 Pos. 63




Product picture



Features

- free-standing
- material: metal, plastic
- material recess: plastic
- capacity: 3 l
- with removable insert
- softclose function guarantees a quiet closing of the lid

Drawing



Brand hansgrohe
 Art. Name **Logis** Single lever basin mixer 70 with pop-up waste set
 Art. Nr. 71070000
 Surface Chrome
 Pos. 64


Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 70
- projection: 107 mm
- spout height: 67 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: synthetic
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Brand hansgrohe
 Art. Name **Logis** Single lever basin mixer 100 without waste set
 Art. Nr. 71101000
 Surface Chrome
 Pos. 65


Product picture



Features

- ComfortZone: 100
- projection: 108 mm
- spout height: 93 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Brand hansgrohe
 Art. Name **Logis** Single lever basin mixer 240 Fine for wash bowls with pop-up waste set
 Art. Nr. 71257000
 Surface Chrome
 Pos. 66


Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 240
- projection: 172 mm
- spout height: 232 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: synthetic
- connection type: G 3/8 connections
- connection dimension: DN15
- aerator can be easily removed with the help of a coin and without tools
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Codes / Standards

- PA-IX 38074/10

Technology



Brand hansgrohe
 Art. Name **Logis** Single lever basin mixer 240 Fine without waste set
 Art. Nr. 71258000
 Surface Chrome
 Pos. 67


Product picture



Features

- ComfortZone: 240
- projection: 172 mm
- spout height: 232 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G 3/8 connections
- connection dimension: DN15
- aerator can be easily removed with the help of a coin and without tools
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology




Codes / Standards

- PA-IX 38074/IO

Brand hansgrohe
 Art. Name **Logis** Single lever bath mixer for exposed installation
 Art. Nr. 71400000
 Surface Chrome
 Pos. 68


Product picture



Features

- 2 functions
- projection: 194 mm
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- maximum flow rate at 3 bar: 20 l/min
- flow rate for bath spout at 3 bar: 20 l/min
- flow rate of hand shower at 3 bar: 17 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15
- connection type: s-shaped connections
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Technology



Codes / Standards

- PA-IX 28116/ICB

Brand	hansgrohe
Art. Name	Logis Single lever bath mixer for concealed installation for iBox universal
Art. Nr.	71405000
Surface	Chrome
Pos.	69


Product picture



Features

- 2 functions
- flow rate upper outlet: 21 l/min
- flow rate lower outlet: 29 l/min
- maximum flow rate at 3 bar: 29 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- connection type: basic set
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Codes / Standards

- PA-IX 9709/ICC

Brand	hansgrohe
Art. Name	Vernis Blend Single lever bath mixer for exposed installation
Art. Nr.	71440000
Surface	Chrome
Pos.	70


Product picture



Features

- 2 functions
- projection: 171 mm
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- maximum flow rate at 3 bar: 22,5 l/min
- flow rate for bath spout at 3 bar: 22,5 l/min
- flow rate of hand shower at 3 bar: 15,7 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15
- connection type: s-shaped connections
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Technology



Codes / Standards

- PA-IX 38135/IIDB

Brand	hansgrohe
Art. Name	Vernis Blend Single lever bath mixer for concealed installation
Art. Nr.	71449000
Surface	Chrome
Pos.	71


Product picture



Features

- 2 functions
- maximum flow rate at 3 bar: 30,7 l/min
- flow rate for bath spout at 3 bar: 30,7 l/min
- flow rate of hand shower at 3 bar: 27,4 l/min
- temperature limitation adjustable
- diverter with automatic resetting
- connection type: basic set
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Codes / Standards

- PIX 16997/IIDB

Brand	hansgrohe
Art. Name	Vernis Blend Single lever basin mixer 100 with isolated water conduction and pop-up waste set
Art. Nr.	71571000
Surface	Chrome
Pos.	72


Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 100
- projection: 108 mm
- spout height: 88 mm
- handle variant: lever handle
- spray type: normal spray
- swiveling spray former
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- with isolated water conduction - without contact with nickel and lead
- suitable for continuous flow water heaters
- pop-up waste set G 1¼
- material waste set: synthetic
- connection type: G ¾ connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38010/IO

Brand	hansgrohe
Art. Name	Logis Single lever shower mixer for concealed installation for iBox universal
Art. Nr.	71605000
Surface	Chrome
Pos.	73


Product picture



Features

- 1 function
- maximum flow rate at 3 bar: 29,3 l/min
- number of handles: single lever
- temperature limitation adjustable
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set

Drawing



Codes / Standards

- PA-IX 9710/IB

Brand	hansgrohe
Art. Name	Vernis Blend Single lever shower mixer for concealed installation
Art. Nr.	71649000
Surface	Chrome
Pos.	74


Product picture



Features

- 1 function
- maximum flow rate at 3 bar: 28,7 l/min
- number of handles: single lever
- ceramic cartridge
- temperature limitation adjustable
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set

Drawing



Brand hansgrohe
 Art. Name **Rebris S** Bath spout
 Art. Nr. 72430000
 Surface Chrome
 Pos. 75



red dot winner 2021




Product picture



Features

- connection type: G 1/2
- with escutcheon
- projection: 200 mm
- wall-mounted
- maximum flow rate at 3 bar: 22 l/min
- spray type: normal spray

Drawing



Technology



Codes / Standards

- PIX 38269/ID

Brand hansgrohe
 Art. Name **Rebris S** Single lever bath mixer for concealed installation
 Art. Nr. 72449000
 Surface Chrome
 Pos. 76



red dot winner 2021




Product picture



Features

- 2 functions
- maximum flow rate at 3 bar: 30,7 l/min
- flow rate for bath spout at 3 bar: 30,7 l/min
- flow rate of hand shower at 3 bar: 27,4 l/min
- ceramic cartridge
- diverter with automatic resetting
- connection type: basic set
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Codes / Standards

- PIX 16997/IIDB

Brand hansgrohe
 Art. Name **Rebris S** Single lever bath mixer for concealed installation for iBox universal
 Art. Nr. 72466000
 Surface Chrome
 Pos. 77



red dot winner 2021




Product picture



Features

- 2 functions
- flow rate upper outlet: 21 l/min
- flow rate lower outlet: 29 l/min
- maximum flow rate at 3 bar: 27,6 l/min
- flow rate for bath spout at 3 bar: 27,6 l/min
- flow rate of hand shower at 3 bar: 21,2 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- with silencer
- connection type: basic set
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- no additional maintenance opening required

Drawing



Codes / Standards

- PA-IX 38260/IIDB

Brand hansgrohe
 Art. Name **Rebris S** Single lever basin mixer 80 CoolStart with pop-up waste set
 Art. Nr. 72513000
 Surface Chrome
 Pos. 78




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 80
- projection: 121 mm
- spout height: 84 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: synthetic
- connection type: G 3/8 connections
- connection dimension: DN15
- cold water in basic handle position
- aerator can be easily removed with the help of a coin and without tools
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38265/IO

Brand hansgrohe
 Art. Name **Rebris S** Single lever basin mixer 110 CoolStart with pop-up waste set
 Art. Nr. 72519000
 Surface Chrome
 Pos. 79



red dot winner 2023




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 110
- projection: 133 mm
- spout height: 109 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: synthetic
- connection type: G 3/8 connections
- connection dimension: DN15
- cold water in basic handle position
- aerator can be easily removed with the help of a coin and without tools
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38265/IO

Brand hansgrohe
 Art. Name **Rebris S** Single lever shower mixer for concealed installation
 Art. Nr. 72649000
 Surface Chrome
 Pos. 80



red dot winner 2021



GERMAN DESIGN AWARD 2021


Product picture




Features

- 1 function
- maximum flow rate at 3 bar: 28,7 l/min
- number of handles: single lever
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set

Drawing



Brand hansgrohe
 Art. Name **Talis M54** Single lever kitchen mixer U 220, 1 jet
 Art. Nr. 72806000
 Surface Chrome
 Pos. 81




Product picture




Features

- ComfortZone 220
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 9 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- temperature limitation adjustable
- suitable for continuous flow water heaters
- tap hole with Ø 35 mm required

Drawing



Technology




Spray Types



Codes / Standards

- PIX 29739/IO

Brand hansgrohe
 Art. Name **Talis M54** Single lever kitchen mixer 270, pull-out spout, 1 jet
 Art. Nr. 72808000
 Surface Chrome
 Pos. 82




Product picture



Features

- ComfortZone 270
- l-spout
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- temperature limitation adjustable
- integrated non-return valve
- suitable for continuous flow water heaters
- extension length up to 50 cm

Drawing



Technology



Spray Types



Codes / Standards

- PIX 29741/10

Brand hansgrohe
 Art. Name **Tecturis E** Single lever basin mixer 110 EcoSmart+ with pop-up waste set
 Art. Nr. 73010000
 Surface Chrome
 Pos. 83




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 110
- projection: 144 mm
- spout height: 117 mm
- handle variant: lever handle
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38541/IO

Brand hansgrohe
 Art. Name **Tecturis E** Single lever basin mixer 110 EcoSmart+ with pop-up waste set
 Art. Nr. 73010140
 Surface Brushed Bronze
 Pos. 84




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 110
- projection: 144 mm
- spout height: 117 mm
- handle variant: lever handle
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38541/IO

Brand hansgrohe
 Art. Name **Tectoris E** Single lever basin mixer 240 Fine CoolStart EcoSmart+ for wash bowls with push-open waste set
 Art. Nr. 73070000
 Surface Chrome
 Pos. 85




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 240
- projection: 197 mm
- spout height: 243 mm
- handle variant: lever handle
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- cold water in basic handle position
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology




Codes / Standards

- PA-IX 38613/IO

Brand hansgrohe
 Art. Name **Vivenis** Single lever basin mixer 80 with pop-up waste set
 Art. Nr. 75010000
 Surface Chrome
 Pos. 86




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 80
- projection: 133 mm
- spout height: 80 mm
- handle variant: lever handle
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology




Codes / Standards

- PA-IX 38139/IO

Brand hansgrohe
 Art. Name **Vivenis** Single lever basin mixer 110 with pop-up waste set
 Art. Nr. 75020000
 Surface Chrome
 Pos. 87




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 110
- projection: 146 mm
- spout height: 110 mm
- handle variant: lever handle
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38139/IO

Brand hansgrohe
 Art. Name **Vivenis** Single lever basin mixer 110 with pop-up waste set
 Art. Nr. 75020700
 Surface Matt White
 Pos. 88




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 110
- projection: 146 mm
- spout height: 110 mm
- handle variant: lever handle
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38139/IO

Brand hansgrohe
 Art. Name **Vivenis** Single lever basin mixer 250 for wash bowls with pop-up waste set
 Art. Nr. 75040000
 Surface Chrome
 Pos. 89




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 250
- projection: 191 mm
- spout height: 251 mm
- handle variant: lever handle
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38139/IO

Brand	hansgrohe
Art. Name	Vivenis Single lever basin mixer for concealed installation wall-mounted with spout
	19,2 cm
Art. Nr.	75050000
Surface	Chrome
Pos.	90




Product picture



Features

- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- projection: 192 mm
- handle variant: lever handle
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depending on the basic set installation
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38064/IO

Brand hansgrohe
 Art. Name **Vivenis** Single lever bath mixer for concealed installation for iBox universal
 Art. Nr. 75415000
 Surface Chrome
 Pos. 91




Product picture



Features

- 2 functions
- flow rate upper outlet: 21 l/min
- flow rate lower outlet: 29 l/min
- maximum flow rate at 3 bar: 29 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- with silencer
- suitable for continuous flow water heaters
- connection type: basic set
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Codes / Standards

- PA-IX 38141 /IIDB

Brand hansgrohe
 Art. Name **DuoTurn E** Mixer for concealed installation for 2 functions
 Art. Nr. 75417000
 Surface Chrome
 Pos. 92




Product picture




Features

- 2 functions
- volume control and diverter for 2 functions
- maximum flow rate at 3 bar: 29,5 l/min
- flow rate upper outlet: 29,5 l/min
- flow rate lower outlet: 29,5 l/min
- ceramic cartridge for temperature control, shut-off/ diverter valve
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by +/- 3°
- material escutcheon: plastic
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- mixer is delivered with buttons Rain small, Rain large, hand sower, Waterfall, bath tub
- connection type: basic set iBox universal 2 (# 01500180)

Drawing




Technology



Codes / Standards

- PIX 38572/ICB

Brand hansgrohe
 Art. Name **Vivenis** Single lever bath mixer for exposed installation
 Art. Nr. 75420000
 Surface Chrome
 Pos. 93




Product picture



Features

- 2 functions
- projection: 216 mm
- centre distance: 150 ± 12 mm
- spray type mixer: WaterfallStream
- maximum flow rate at 3 bar: 19,4 l/min
- flow rate for bath spout at 3 bar: 19,4 l/min
- ceramic cartridge
- temperature limitation adjustable
- pressure diverter Select with automatic resetting
- protected against backflow, according to DIN EN 1717
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15
- connection type: s-shaped connections
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Technology



Codes / Standards

- PA-IX 38142/IIOB

Brand hansgrohe
 Art. Name **Vivenis** Single lever shower mixer for concealed installation for iBox universal
 Art. Nr. 75615000
 Surface Chrome
 Pos. 94




Product picture



Features

- 1 function
- maximum flow rate at 3 bar: 29,3 l/min
- number of handles: single lever
- ceramic cartridge
- temperature limitation adjustable
- with silencer
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set

Drawing



Codes / Standards

- PA-IX 9710/IB

Brand hansgrohe
 Art. Name **DuoTurn E** Mixer for concealed installation for 1 function
 Art. Nr. 75617000
 Surface Chrome
 Pos. 95




Product picture



Features

- 1 function
- volume control for 1 function
- maximum flow rate at 3 bar: 29,5 l/min
- ceramic cartridge for temperature control, 1/2" ceramic shut-off valve
- flat escutcheon for more space in the shower
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by +/- 3°
- material escutcheon: plastic
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- mixer is delivered with button hand shower
- connection type: basic set iBox universal 2 (# 01500180)

Drawing



Technology



Codes / Standards

- PIX 38566/IB

Brand hansgrohe
 Art. Name **DuoTurn S** Mixer for concealed installation for 1 function
 Art. Nr. 75618000
 Surface Chrome
 Pos. 96




Product picture




Features

- 1 function
- volume control for 1 function
- maximum flow rate at 3 bar: 29,5 l/min
- ceramic cartridge for temperature control, 1/2" ceramic shut-off valve
- flat escutcheon for more space in the shower
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by +/- 3°
- material escutcheon: plastic
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- mixer is delivered with button hand shower
- connection type: basic set iBox universal 2 (# 01500180)

Drawing



Technology



Codes / Standards

- PIX 38566/IB

Brand hansgrohe
 Art. Name **Finoris** Single lever basin mixer 110 with pop-up waste set
 Art. Nr. 76020670
 Surface Matt Black
 Pos. 97




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 110
- projection: 139 mm
- spout height: 113 mm
- handle variant: lever handle
- spray type: laminar spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38082/IO

Brand hansgrohe
 Art. Name **Finoris** Single lever basin mixer 110 with push-open waste set
 Art. Nr. 76023000
 Surface Chrome
 Pos. 98




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 110
- projection: 139 mm
- spout height: 113 mm
- handle variant: lever handle
- spray type: laminar spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PA-IX 38082/IO

Brand hansgrohe
 Art. Name **Finoris** Single lever basin mixer 230 with pull-out spray, 2jet and push-open waste set
 Art. Nr. 76063670
 Surface Matt Black
 Pos. 99




Product picture



Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 230
- projection: 191 mm
- spout height: 229 mm
- handle variant: lever handle
- spray type: laminar spray, PowderRain
- spray returns through pressing spray diverter and spray returns automatically through handle closing
- extension length: 50 cm
- spray disc surface: graphite
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- non-return valve
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Drawing



Technology



Codes / Standards

- PIX 38085/100

Brand hansgrohe
 Art. Name **Finoris** Single lever bath mixer for concealed installation for iBox universal
 Art. Nr. 76415000
 Surface Chrome
 Pos. 100




Product picture



Features

- 2 functions
- flow rate upper outlet: 21 l/min
- flow rate lower outlet: 29 l/min
- maximum flow rate at 3 bar: 29 l/min
- temperature limitation adjustable
- diverter with automatic resetting
- with silencer
- suitable for continuous flow water heaters
- connection type: basic set
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Codes / Standards

- PA-IX 38141 /IIDB

Brand hansgrohe
 Art. Name **Finoris** Single lever bath mixer for exposed installation
 Art. Nr. 76420670
 Surface Matt Black
 Pos. 101




Product picture



Features

- 2 functions
- projection: 194 mm
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- maximum flow rate at 3 bar: 19 l/min
- flow rate for bath spout at 3 bar: 19 l/min
- flow rate of hand shower at 3 bar: 14,7 l/min
- ceramic cartridge
- pressure diverter Select with automatic resetting
- protected against backflow, according to DIN EN 1717
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15
- connection type: s-shaped connections
- wall-mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Drawing



Technology



Codes / Standards

- PA-IX 38086/IIOB

Brand hansgrohe
 Art. Name **Finoris** Single lever shower mixer for concealed installation for iBox universal
 Art. Nr. 76615000
 Surface Chrome
 Pos. 102




Product picture



Features

- 1 function
- maximum flow rate at 3 bar: 29,3 l/min
- number of handles: single lever
- ceramic cartridge
- temperature limitation adjustable
- with silencer
- suitable for continuous flow water heaters
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set

Drawing



Codes / Standards

- PA-IX 9710/IB